




Date Released: 7/24/2025 5:41:22PM
Report #: 70931

Jealousy 3.5g Flower

Sample #: 16690, Weight: 70.00g, Unit Count:
Order #: X250717-0003
Category/Type: Plant, Flower - Cured
Date Collected: 7/16/2025 5:59:00PM
Date Received: 7/17/2025 11:20:15AM
Date Sampled: 7/16/2025 1:30:00PM
Regulator Sample ID: CR-GG-J-2
Regulator Source Package ID: CR-GG-J-2
Regulator Batch ID: CR-GG-J-2
Size: 5700Units, Unit Count:



Cannabinoids Avg					Date Completed: 07/23/2025 10:40AM	
Total Cannabinoids: 33.07 % - 330.7 mg/g						
Total THC: 28.71 % - 287.1 mg/g						
Total CBD: 0.09453 % - 0.9453 mg/g						
Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration	
THCa	23978-85-0	0.001000	28.84	288.4		
d9-THC	1972-08-3	0.001000	3.417	34.17		
CBGa	25555-57-1	0.001000	0.5855	5.855		
CBG	25654-31-3	0.001000	0.1157	1.157		
CBDa	1244-58-2	0.001000	0.1078	1.078		
CBDV	24274-48-4	0.001000	ND	ND		
THCV	31262-37-0	0.001000	ND	ND		

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.
Results based on simple acceptance, not taking into consideration measurement uncertainty.
If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Kelly Greenland
Dr. Kelly Greenland, Lab Director





Sample #: 16690

Jealousy 3.5g Flower

Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
CBD	13956-29-1	0.001000	ND	ND	
CBN	521-35-7	0.001000	ND	ND	
d8-THC	5957-75-5	0.001000	ND	ND	
d10/R9-THC	95543-62-7	0.001000	ND	ND	
d10/S9-THC	95588-87-7	0.001000	ND	ND	
CBC	20675-51-8	0.001000	ND	ND	

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

Terpenes by HS-GC-MS

Date Completed: 07/21/2025 1:31PM



Compound	CAS#	LOQ (%)	%	Relative Concentration
Beta-myrcene	123-35-3	0.1000	0.6574	
Fenchol	14575-74-7	0.1000	0.1980	

Results based on dry weight

Beta-caryophyllene	87-44-5	0.1000	ND
Limonene	5989-27-5	0.1000	ND
Alpha-pinene	80-56-8	0.1000	ND
Alpha-humulene	6753-98-6	0.1000	ND
Linalool	78-70-6	0.1000	ND
Beta-pinene	127-91-3	0.1000	ND

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 16690 Jealousy 3.5g Flower

Compound	CAS#	LOQ (%)	%	Relative Concentration
Terpinolene	586-62-9	0.1000	ND	
Ocimene	13877-91-3	0.1000	ND	
Alpha-bisabolol	515-69-5	0.1000	ND	
Caryophyllene-oxide	1139-30-6	0.1000	ND	
Geraniol	106-24-1	0.1000	ND	
Camphene	79-92-5	0.1000	ND	
Guaiol	489-86-1	0.1000	ND	
Alpha-terpinene	99-86-5	0.1000	ND	
Terpineol	8006-39-1	0.1000	ND	
Valencene	4630-07-3	0.1000	ND	
Alpha-phellandrene	99-83-2	0.1000	ND	
Farnesene	502-61-4	0.1000	ND	

Test Comment: Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

Foreign Matter by Microscopy		Pass		Analysis Date: 07/18/2025 4:28 pm	
Compound	LOQ (%)	Limits (%)	Result (%)	Status	
% Filth	0.00100	2.0	ND	Pass	
% Mammalian Excreta	0.00100	5.0	ND	Pass	
% Stems	0.00100	0.03	ND	Pass	

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Moisture by Analyzer		Pass		Analysis Date: 07/18/2025 4:28 pm	
Compound	LOQ (%)	Limits (%)	Result (%)	Status	
Moisture	1.2	0 - 15	11.9	Pass	

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.
Results based on simple acceptance, not taking into consideration measurement uncertainty.
If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Sample #: 16690 Jealousy 3.5g Flower

Water Activity by Meter		Pass		Analysis Date: 07/18/2025 4:28 pm	
Compound	LOQ (Aw)	Limits (Aw)	Result (Aw)	Status	
Water Activity	0.05	0.65	0.53	Pass	
Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.					

Pesticides by LCMSMS		Pass		Analysis Date: 07/22/2025 10:29 am	
Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status	
Abamectin	0.0100	0.500	ND	Pass	
Acephate	0.0100	0.400	ND	Pass	
Acequinocyl	0.0100	2.00	ND	Pass	
Acetamiprid	0.0100	0.200	ND	Pass	
Aldicarb	0.0100	0.400	ND	Pass	
Azadirachtin	0.0100	1.00	ND	Pass	
Azoxystrobin	0.0100	0.200	ND	Pass	
Bifenazate	0.0100	0.200	ND	Pass	
Bifenthrin	0.0100	0.200	ND	Pass	
Boscalid	0.0100	0.400	ND	Pass	
Captan	0.0100	1.00	ND	Pass	
Carbaryl	0.0100	0.200	ND	Pass	
Carbofuran	0.0100	0.200	ND	Pass	
Chlorantraniliprole	0.0100	0.200	ND	Pass	
Chlordane-alpha	0.0100	1.00	ND	Pass	
Chlorfenapyr	0.0100	1.00	ND	Pass	
Chlormequat Chloride	0.0100	1.00	ND	Pass	
Chlorpyrifos	0.0100	0.200	ND	Pass	
Clofentezine	0.0100	0.200	ND	Pass	
Coumaphos	0.0100	1.00	ND	Pass	
Cyfluthrin	0.0100	1.00	ND	Pass	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.
Results based on simple acceptance, not taking into consideration measurement uncertainty.
If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Kelly Greenland
Dr. Kelly Greenland, Lab Director





Sample #: 16690

Jealousy 3.5g Flower

Pesticides by LCMSMS

Pass

Analysis Date: 07/22/2025 10:29 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Cypermethrin	0.0100	1.00	ND	Pass
Daminozide	0.0100	1.00	ND	Pass
Diazinon	0.0100	0.200	ND	Pass
Dichlorvos	0.0100	1.00	ND	Pass
Dimethoate	0.0100	0.200	ND	Pass
Dimethomorph	0.0100	1.00	ND	Pass
Ethoprophos	0.0100	0.200	ND	Pass
Etofenprox	0.0100	0.400	ND	Pass
Etoxazole	0.0100	0.200	ND	Pass
Fenhexamid	0.0100	1.00	ND	Pass
Fenoxycarb	0.0100	0.200	ND	Pass
Fenpyroximate	0.0100	0.400	ND	Pass
Fipronil	0.0100	0.400	ND	Pass
Flonicamid	0.0100	1.00	ND	Pass
Fludioxonil	0.0100	0.400	ND	Pass
Hexythiazox	0.0100	1.00	ND	Pass
Imazalil	0.0100	0.200	ND	Pass
Imidacloprid	0.0100	0.400	ND	Pass
Indolebutyric Acid	0.0100	1.00	ND	Pass
Kresoxim-methyl	0.0100	0.400	ND	Pass
Malathion	0.0100	0.200	ND	Pass
Metalaxyl	0.0100	0.200	ND	Pass
Methiocarb	0.0100	0.200	ND	Pass
Methomyl	0.0100	0.400	ND	Pass
Methyl Parathion	0.0100	0.200	ND	Pass
Mevinphos	0.0100	1.00	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 16690

Jealousy 3.5g Flower

Pesticides by LCMSMS

Pass

Analysis Date: 07/22/2025 10:29 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
MGK-264	0.0100	0.200	ND	Pass
Myclobutanil	0.0100	0.200	ND	Pass
Naled	0.0100	0.500	ND	Pass
Oxamyl	0.0100	1.00	ND	Pass
Paclobutrazol	0.0100	0.400	ND	Pass
Pentachloronitrobenzene	0.0100	1.00	ND	Pass
Permethrins, Total	0.0100	0.200	ND	Pass
Phosmet	0.0100	0.200	ND	Pass
Piperonyl Butoxide	0.0100	2.00	ND	Pass
Prallethrin	0.0100	0.200	ND	Pass
Propiconazole	0.0100	0.400	ND	Pass
Propoxur	0.0100	0.200	ND	Pass
Pyrethrins Total	0.0100	1.00	ND	Pass
Pyridaben	0.0100	0.200	ND	Pass
Spinetoram Total	0.0100	1.00	ND	Pass
Spinosad Total	0.0100	0.200	ND	Pass
Spiromesifen	0.0100	0.200	ND	Pass
Spirotetramat	0.0100	0.200	ND	Pass
Spiroxamine	0.0100	0.200	ND	Pass
Tebuconazole	0.0100	0.400	ND	Pass
Thiacloprid	0.0100	0.200	ND	Pass
Thiamethoxam	0.0100	0.200	ND	Pass
Trifloxystrobin	0.0100	0.200	ND	Pass

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 16690

Jealousy 3.5g Flower

Mycotoxins by LCMSMS

Pass

Analysis Date: 07/22/2025 10:26 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Aflatoxin B1	0.0050	0.020	ND	Pass
Aflatoxin B2	0.0050	0.020	ND	Pass
Aflatoxin G1	0.0050	0.020	ND	Pass
Aflatoxin G2	0.0050	0.020	ND	Pass
Ochratoxin A	0.0050	0.020	ND	Pass
Total Aflatoxin	0.0050	0.020	ND	Pass

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

Heavy Metals by ICPMS

Pass

Analysis Date: 07/22/2025 12:08 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Antimony	0.0100	2.00	0.0115	Pass
Arsenic	0.00100	0.200	ND	Pass
Cadmium	0.00150	0.200	0.00550	Pass
Chromium	0.280	110	ND	Pass
Copper	0.0750	30.0	6.29	Pass
Lead	0.00250	0.500	0.0102	Pass
Mercury	0.000500	0.100	0.0165	Pass
Nickel	0.0100	5.00	0.387	Pass

Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.

Micro by Petri & qPCR

Pass

Analysis Date: 07/21/2025 1:54 pm

Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
Aspergillus flavus Qualitative	1	0	Not Detected	Pass
Aspergillus fumigatus Qualitative	1	0	Not Detected	Pass
Aspergillus niger Qualitative	1	0	Not Detected	Pass
Aspergillus terreus Qualitative	1	0	Not Detected	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 16690 Jealousy 3.5g Flower

Micro by Petri & qPCR		Pass		Analysis Date: 07/21/2025 1:54 pm	
Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status	
Salmonella Qualitative	1	0	Not Detected	Pass	
Shiga Toxin-Producing E. coli Qualitative	1	0	Not Detected	Pass	
Total Aerobic Bacteria	10		59000	Pass	
Total Yeast & Mold	10		19000	Pass	
Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. Due to COA validation limitations: "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence". "Passed" for an adult-use product implies the results contain less than 1,000,000 cfu/g.					

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.
Results based on simple acceptance, not taking into consideration measuremental uncertainty.
If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.